




INTERCONNECTION **SOLUTIONS**

PRODUCT KNOWLEDGE
MANUFACTURING CAPACITY
ELECTRICAL ENGINEERING
FINAL ASSEMBLY



Reliability, quality and expertise.
A benchmark company in the interconnection world.
Leading projects.

CIRCULAR CONNECTORS ASSEMBLED BY SCP

made in Spain
Assembled
by SCP
48 h DELIVERY



MIL-C-5015

- This series uses the same inserts as MIL-C-5015 and VG95234 and is intermateable with them.
- Threaded coupling (SCP connectors) and bayonet (SCPB connectors).
 - From 1 to 150 contacts. To solder, crimp or PCB.
 - 220 inserts; contacts from 1A to 950A.
 - Waterproof, anti-vibration, temperature range -55°C to 125°C.
 - Green Zinc-cobalt plating. (ROHS)



QPL
APPROVED



MIL-DTL-38999

- Military and aeronautic applications.
- High density connectors.
- Vibration and shocks resistant.
- Aluminium, composite, marine bronze or stainless steel.
- Plating in Cadmium, Nickel or BLACK ZINC NICKEL (ROHS compliance).
- Contacts for signal, power, twinax, coax, quadax or fiber optics.



ITT VEAM CIR REVERSE BAYONET (MIL-C-5015)

- Manufactured with flame retardant compound compliant to EN45545 - HL3 - R22 - R23.
- Different contacts for signal and power applications. Coax, Twinax, PBC, MWW and Thermocouple contact options.
 - Railways Certified according to EN45545 / ROHS compliant.
 - Different types of accessories (backshells with UNEF, PG and metric thread / adapters for conduits).



MIL-C-26482

- According to MIL-C-26482 SI specification.
- Bayonet coupling / aluminium shell / cadmium plating.
- Outstanding performance, reliability and interchangeability with other manufacturers.



Average delivery time of two weeks & urgent delivery service available (24/48h)

DESIGN, MANUFACTURE AND ASSEMBLY



**AERONAUTICAL
HARNESS**



RELAY BOX



**EFIS DISTRIBUTION
BOX**



CONTROL UNIT



AEROSPACE

DISTRIBUTION BOX



**COMMUNICATION
RACK**



MILITARY HARNESS



**CUSTOM HARNESS
SOLUTIONS**



DEFENCE

RAILWAY HARNESS



**INDUSTRIAL
HARNESS**



TEST BENCH



**MASTER
CONTROLLERS**



INDUSTRIAL

**FAL SUPPORT
A400M**



**TRANSFORMATION
A330 MRTT**



**MILITARY
INSTALATION**



**DESIGN &
DEVELOPMENT**



SERVICES

TOOLS, WIRES AND OTHER INTERCONNECTION COMPONENTS

SHRINKABLE MATERIALS


TOOL KITS



CRIMPING TOOLS



WIRE STRIPPER



TOOLS

MOULDED PARTS



TUBES



SOLDER SLEEVES



MIL-SPEC WIRES



CUSTOM DESIGN CABLES



COAX / TRIAX



WIRE AND CABLE

COMMAND / CONTROL / TEST

MASTER CONTROLLERS



CONTACTORS



DRIVER DESKS



THERMAL TRANSFER PRINTERS



LABELS AND SLEEVES



LASER MARKING



IDENTIFICATION

MILITARY - AERONAUTICAL DIVISION CONNECTORS

MIL-C-5015
VG95234



MIL-C-26482
VG95328



MIL-DTL-38999



QUADRAX



2M MICRO
MINIATURE



JN1003



ARINC 404/600



MICRO & NANO D



FILTERED



RJFIELD



HERMETICS



SPECIAL
CONTACTS



ULTIMATE



LP360



REDUCED
FLANGES 38999



FIBER OPTIC

CTF



TRANSCIVERS



HMA



MIL-FO CONTACTS




ARINC 80I



EUROCOM II



MANPACKS



TACTICAL FO.



INDUSTRIAL DIVISION CONNECTORS



SUB - D



RECTANGULAR CONNECTORS



ECO|MATE



ELECTRIC VEHICLE



PATCH HDTV



PCB CONNECTORS



M8 - M12 - M23



PUSH-PULL



POWERLOCK



SPEAKON



TRIAx HD



XLR



HD-BNC & COAXIAL



AUDIO JACK



REP



CIR




UIC 558-568



HTB



 RAILWAY



UIC 541



UIC 552



MICROSWITCHES



VBN





CONNECTOR ACCESSORIES

CAPS



GASKETS



BACKSHELLS



HOODS



GLANDS



CONTACTS



DUMMY RECEPTACLES



NEMA



IDI



EMI PROTECTION



ABRASION PROTECTION



FIRE/THERMAL PROTECTION



GRIPS



PROTECTION SYSTEMS



SELF-AMALGAMATING SILICONE TAPE



HARNESS ACCESSORIES



QUALITY SYSTEM

UNE-EN ISO 9001 — Quality Management System
UNE-EN 9100 — Aerospace and Defence Requirements
AQAP/PECAL 2110 — Military Requirements
NATO CAGE — 267BB (SCP) / 1199B (Sintersa)
IPC — IPC/WHMA-A-620 / IPC-A-610



PARTNERSHIPS



HEADQUARTERS




 **MADRID**
 (+34) 91 361 00 41

PRODUCTION PLANTS



 **SEVILLE**
 (+34) 95 531 09 99

 **MILAN**
 (+39) 0331 170 7799

SALES OFFICE
 **LISBON**
 (+351) 211 319 832